	Application No.	Applicant(s)
Notice of Allowability	09/584,977	FUJIEDA, MASANAO
	Examiner	Art Unit
	Sath V. Perungavoor	2624
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the coordinate (OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>03/27/2006</u> .		
2. X The allowed claim(s) is/are 19, 27 and 30.		
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do	e been received. e been received in Application No	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be considered by the Notice of Draftspers	st be submitted.	
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi he header according to 37 CFR 1.121(d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendo	te

DETAILED ACTION

REASONS FOR ALLOWANCE

[1] The following is an examiner's statement of reasons for allowance: The instant invention is an ophthalmic apparatus.

Prior art was found for non-final and final actions. Applicant's arguments that "Even if Hohla attempted to ensure accuracy of the source of the topographic profile data, it would not be possible because a corneal shape measured when a patient sits upright as in Hohla differs from a corneal shape when the patient is in a prone position during surgery. Hence, topographic profile data is unsuitable for ensuring accuracy of the source of the data", was found to be persuasive. Applicant uniquely claimed a distinct feature in the instant invention, which are not found in the prior art, either singularly or in combination.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

[2] Claims 19, 27 and 30 are allowed.

Contact Information

[3] Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Sath V. Perungavoor whose telephone number is (571) 272-7455. The examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

Application/Control Number: 09/584,977

Art Unit: 2624

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Mr. Bhavesh M. Mehta whose telephone number is (571) 272-7453, can be reached on Monday to

Friday from 9:00am to 5:00pm. The fax phone number for the organization where this application

or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system,

see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dated: June 8, 2006

Sath V. Perungavoor

Telephone: (571) 272-7455

TECHNOLOGY CENTER 2600

For: Bhavesh M. Mehta